

CERTIFICATE OF COMPLIANCE

Certificate Number 20150303-E203310
Report Reference E203310-20141216
Issue Date 2015-MARCH-03

Issued to: MEDC
UNIT B
SUTTON PARKWAY, ODDICROFT LANE
SUTTON-IN-ASHFIELD
NG17 5FB UNITED KINGDOM

This is to certify that representative samples of AUDIBLE-SIGNAL APPLIANCES FOR USE IN ZONE CLASSIFIED HAZARDOUS LOCATIONS
See Addendum

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 60079-0 & CAN/CSA-C22.2 No. 60079-0:11, Explosive atmospheres – Part 0: Equipment – General requirements
UL 60079-1 & CAN/CSA-C22.2 No. 60079-1:11, Explosive Atmospheres – Part 1: Equipment Protection by Flameproof Enclosures “d”
ANSI/ISA-60079-31-2009 & CAN/CSA-C22.2 No. 60079-31:12, Explosive Atmospheres – Part 31: Equipment Dust Ignition Protection by Enclosure “t”

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20150303-E203310
Report Reference E203310-20141216
Issue Date 2015-MARCH-03

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Product Covered:

US Listed:

Audible signal device, Model DB3B G, for use in Class I, Zone 1, AEx d IIC hazardous locations.

Audible signal device, Model DB3B GD, for use in Class I, Zone 1, AEx d IIC; Zone 21, AEx tb IIIC hazardous locations.

Speaker, Model DB4B G, for use in Class I Zone 1, AEx d IIC hazardous locations.

Speaker, Model DB4B GD, for use in Class I Zone 1, AEx d IIC; Zone 21, AEx tb IIIC hazardous locations.

Canadian Listed:

Audible signal device, Model DB3B G, for use in Class I, Zone 1, Ex d IIC Gb hazardous locations.

Audible signal device, Model DB3B GD, for use in Class I, Zone 1, Ex d IIC Gb; Class II, Div. 1, Groups E, F and G; Class III, Div. 1 hazardous locations.

Speaker, Model DB4B G, for use in Class I, Zone 1, Ex d IIC Gb hazardous locations.

Speaker, Model DB4B GD, for use in Class I, Zone 1, Ex d IIC Gb; Class II, Div. 1, Groups E, F and G; Class III, Div. 1 hazardous locations


Additional Information for Marking:

Hazardous location designation as given in "representative samples of".

The EPLs Gb and Db are optional for the US.

Models DB3B G and DB4B G may also be marked for use in Class I, Div. 2, Groups A, B, C and D

Models DB3B GD and DB4B GD may also be marked for use in Class I, Div. 2, Groups A, B, C and D, Class II, Div. 2, Groups F & G; Class III, Div. 1 Hazardous Locations



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

